

M A T E R I A L   S A F E T Y   D A T A   S H E E T

WOODBUDDY WOOD FILLER

PAGE: 1

PRODUCT NAME: WOODBUDDY WOOD FILLER
PRODUCT CODE: 750

HMIS CODES: H F R P
1 1 0 H

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: WOOD KOTE PRODUCTS INC.
ADDRESS : 8000 NE 14TH PLACE
PORTLAND, OR 97211

EMERGENCY PHONE : (800) 535-5053 DATE PRINTED : 10/01/10
INFORMATION PHONE : (503) 285-8371 NAME OF PREPARER : C. JENKINS

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

Table with 5 columns: COMPONENT, CAS #, CONCENTRATION (% WEIGHT), OSHA TWA, ACGLH TLV. Rows include BARIUM SULFATE, SILICA (CRYSTALLINE), GUAR GUM, and WATER.

SECTION III - HAZARDS IDENTIFICATION

HAZARD DESCRIPTION: MAY BE MILD EYE AND SKIN IRRITANT.
HMIS: (NOTE, THERE ARE RECOMMENDED RATINGS. IT IS THE RESPONSIBILITY OF THE EMPLOYER TO EVALUATE PRODUCTS AND TRAIN EMPLOYEES ON THE HAZARDS OF THOSE PRODUCTS PRIOR TO USE.
HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0
EXPOSURE GUIDELINES: SEE SECTION 2 -COMPOSITION/LNFORMATION ON INGREDIENTS
AGGRAVATED MEDICAL CONDITIONS: NONE KNOWN

SECTION IV - FIRST AID INFORMATION

INHALATION: REMOVE TO FRESH AIR IMMEDIATELY. IF BREATHING HAS STOPPED, START RESUSCITATION AND ADMINISTER OXYGEN. CALL A PHYSICIAN.
EYES: FLUSH EXPOSED EYES WITH WATER FOR AT LEAST 15 MINUTES. AN EYE EXAM SHOULD BE PERFORMED IF IRRITATION OR PAIN PERSISTS AFTER FLUSHING.
SKIN: WASH THE EXPOSED AREA WITH SOAP AND WATER. PHYSICIAN SHOULD EXAMINE THE EXPOSED AREA IF IRRITATION OR PAIN PERSISTS.
INGESTION: DILUTE WITH LARGE AMOUNTS OF WATER OR MILK. DO NOT INDUCE VOMITING

===== SECTION V - FIRE FIGHTING MEASURES =====

**EXTINGUISHING MEDIA:** FOAM, CARBON DIOXIDE, DRY CHEMICAL  
**SPECIAL FLRE FIGHTING PROCEDURES:** NONE KNOWN.  
**UNUSUAL FIRE & EXPLOSION HAZARDS:** DURING A FIRE SITUATION, SMOKE MAY CONTAIN TOXIC/IRRITATING PRODUCTS INCLUDING CO AND CO2.

===== SECTION VI - ACCIDENTAL RELEASE MEASURES =====

**PERSONAL PRECAUTIONS:** KEEP UNNECESSARY PERSONNEL AWAY. SEE SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION  
**ENVIRONMENTAL PROTECTION:** DO NOT WASH INTO POTABLE WATER SUPPLY SOURCES  
**CLEAN-UP METHODS:** ELIMINATE ALL SOURCES OF IGNITION. DIKE LARGE SPILLS AND PUMP INTO SALVAGE TANK. ABSORB WITH SUITABLE MATERIAL. DO NOT WASH INTO POTABLE WATER SUPPLY SOURCES.

===== SECTION VII - HANDLING AND STORAGE =====

**HANDLING:** AVOID PROLONGED OR REPEATED SKIN CONTACT. AVOID BREATHING OF DUSTS. USE WITH ADEQUATE VENTILATION. PROHIBIT EATING OR SMOKING. KEEP AWAY FROM CHILDREN  
**STORAGE:** STORE IN ORIGINAL CONTAINER. KEEP TIGHTLY CLOSED WHEN NOT IN USE. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. STORE IN A DRY, COOL, WELL-VENTILATED AREA AWAY FROM DIRECT SUNLIGHT.

===== SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION =====

USE ONLY WITH VENTILATION TO KEEP LEVELS BELOW EXPOSURE GUIDELINES (SEE SECTION 2). PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS DEPEND UPON THE CONDITIONS OF USE.  
**THE FOLLOWING ARE GENERAL RECOMMENDATIONS:**  
**RESPIRATORY:** SUITABLE DUST MASK RECOMMENDED WHEN ADEQUATE VENTILATION CANNOT BE PROVIDED (I.E., IN CASE OF SIGNIFICANT DUST BUILD-UP)  
**VENTILATION:** LOCAL EXHAUST TO MINIMIZE DUST BUILD-UP  
**PROTECTIVE GLOVES:** GLOVES ARE RECOMMENDED TO AVOID DERMAL CONTACT WITH ANY CHEMICAL PRODUCT  
**EYE PROTECTION:** RECOMMEND EYE PROTECTION DESIGNED TO PROTECT AGAINST DUST IRRITATION.  
**OTHER PROTECTIVE EQUIPMENT:** CLEAN, LONG LEGGED, LONG SLEEVED WORK CLOTHES RECOMMENDED (DEPENDING ON ENVIRONMENTAL CONDITIONS VERSUS POTENTIAL FOR EXPOSURE).  
**HYGIENIC PRACTICES:** WASH HANDS THOROUGHLY AFTER USE.

===== SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES =====

**BOILING RANGE:** NOT APPLICABLE  
**VAPOR DENSITY:** NOT AVAILABLE  
**APPEARANCE/ODOR:** COLORED PASTE WITH MILD ODOR  
**SPECIFIC GRAVITY:** APPROX. 2.1 3  
**WEIGHT/GALLON:** APPROX. 18 LBS/GAL  
**PERCENT VOLATILE:** NIL  
**VOC:** NIL

===== SECTION X - STABILITY AND REACTIVITY =====

**STABILITY:** STABLE

**MATERIALS TO AVOID:** NONE KNOWN

**DANGEROUS REACTIONS:** NONE KNOWN

**HAZARDOUS DECOMPOSITION PRODUCTS:** DURING A FIRE SITUATION, SMOKE MAY CONTAIN TOXIC/IRRITATING PRODUCTS INCLUDING CO AND CO2.

===== SECTION XI - TOXICOLOGICAL INFORMATION =====

**ACUTE HEALTH HAZARDS:** MAY BE MILD EYE AND SKIN IRRITANT.

**CHRONIC HEALTH HAZARDS:** NO KNOWN ADVERSE EFFECTS TO LONG-TERM EXPOSURE.

CRYSTALLINE SILICA - SUFFICIENT EVIDENCE THAT INHALED CRYSTALLINE SILICA CAUSES CANCER IN HUMANS.

EXPOSURE NOT EXPECTED UNDER NORMAL CONDITIONS OF USE SINCE DUST IS "WET-UP" IN THE PRODUCT.

**TARGET ORGANS:** NO KNOWN ADVERSE EFFECTS

===== SECTION XII - ECOLOGICAL INFORMATION =====

THIS PRODUCT DOES NOT DEGRADE NATURALLY. NOT EXPECTED TO CAUSE ECOLOGICAL PROBLEMS.

===== SECTION XIII - DISPOSAL CONSIDERATIONS =====

DISPOSE PRODUCT AND PACKAGINGS IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

FOR FURTHER INFORMATION, CONTACT YOUR STATE OR LOCAL SOLID WASTE AGENCY OR THE U.S. EPA RCRA HOTLINE (1 -800-424-9346).

===== SECTION XIV - TRANSPORT INFORMATION =====

DOT CLASS: NOT DOT HAZARDOUS

===== SECTION XV - REGULATORY INFORMATION =====

**TOXIC SUBSTANCE CONTROL ACT (TSCA):**

ALL INGREDIENTS LISTED

**EPA SARA TITLE ILL SECTION 302 (40 CFR 355) - EHS:**

NONE

**EPA SARA TITLE ILL SECTION 313) (40 CFR 372):**

(IF 2 I % FOR HAZARDOUS OR 2 0. I % FOR LISTED CARCINOGENS)

NONE KNOWN

**CALIFORNIA PROPOSITION 65:**

SILICA, CRYSTALLINE (AIRBORNE PARTICLES OF RESPIRABLE SIZE) ARE LISTED UNDER PROPOSITION 65.

**CANADIAN REGULATIONS:**

**DSL:** ALL INGREDIENTS ARE LISTED

**WHMIS:** NOT REGULATED UNDER WHMIS

===== SECTION IX - DISCLAIMER =====

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. WOOD KOTE PRODUCTS MAKES NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. WOOD KOTE PRODUCTS ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.